



Radionuclide Report

I. PWS INFORMATION: Please refer to your DEP Water Quality Sampling Schedule (WQSS) to help complete this form

PWS ID #: City / Town:

PWS Name: PWS Class: COM NTNC TNC

DEP LOCATION (LOC) ID#	DEP Location Name	Sample Information <small>*Please note all samples are considered representative of finished water if there is no treatment applied.</small>	Date Collected	Collected By
10000	Green River Pumpouse	<input type="checkbox"/> (M)ultiple <input checked="" type="checkbox"/> (S)ingle <input type="checkbox"/> (R)aw <input checked="" type="checkbox"/> (F)inished	7/16/2015	D. Marko

Routine or Special Sample	Original, Resubmitted or Confirmation Report	If Resubmitted, list below	
		(1) Reason for Resubmission	(2) Collection Date of Original Sample
<input checked="" type="checkbox"/> RS <input type="checkbox"/> SS	<input checked="" type="checkbox"/> Original <input type="checkbox"/> Resubmitted <input type="checkbox"/> Confirmation	<input type="checkbox"/> Resample <input type="checkbox"/> Reanalysis <input type="checkbox"/> Report Correction	

SAMPLE NOTES - (Such as, if a Manifold/Multiple sample, list the sources that were on-line during sample collection):

II. ANALYTICAL LABORATORY INFORMATION

Primary Lab MA Cert. #: Primary Lab Name: Subcontract? (Y/N)

Was this Sample Compositied by the Lab? <input type="checkbox"/>	COMPOSITE SAMPLE NOTES List the composited source by DEP Source Code (XXXXX-XXX) and dates collected, up to four consecutive quarterly samples per single entry point.
---	---

LAB SAMPLE NOTES

Contaminant	RESULT	Std Dev (+/-)	MCL	MDL	Lab Method	Date Analyzed	Lab Sample ID#	Analysis Lab MA Cert#	Analysis Lab Name
GROSS ALPHA (pCi/L)	0.806	+/-1.33	2.88	900.0		08/02/2015	E507J07-1	M-PA1457	Pace
URANIUM - activity (pCi/L)									

Report Uranium result and MDL in (pCi/L) as analyzed, otherwise use formula to calculate [Uranium µg/L X 0.67 = Uranium pCi/L]. Check this box if result calculated

ADJUSTED GROSS ALPHA (pCi/L)									
------------------------------	--	--	--	--	--	--	--	--	--

The MCL for Adjusted Gross Alpha (Gross Alpha minus Uranium) is 15 pCi/L. A gross alpha measurement may be submitted for the uranium analysis, if the gross alpha result is equal to or less than 15 pCi/L. If gross alpha exceeds 15 pCi/L, uranium must also be measured.

URANIUM - mass (µg/L)									
-----------------------	--	--	--	--	--	--	--	--	--

Report Uranium result and MDL in (µg/L) as analyzed, otherwise use formula to calculate [Uranium pCi/L / 0.67 = Uranium µg/L]. Check this box if result calculated

RADIUM-226 (pCi/L)	0.113	+/-0.313	0.607	EPA 903.0		08/05/2015	E507J07-1	M-PA1457	Pace
RADIUM-228 (pCi/L)	0.174	+/-0.348	0.770	EPA 904.0		08/05/2015	E507J07-1	M-PA1457	Pace
COMBINED RADIUM (pCi/L)	0.29	---	5						

The MCL for Combined Radium (Radium-226 plus Radium-228) is 5 pCi/L. A gross alpha measurement may be submitted for the radium -226 analysis, if the gross alpha result is equal to or less than 5 pCi/L. If gross alpha exceeds 5 pCi/L, radium-226 must also be measured.


GROSS BETA (pCi/L)									
--------------------	--	--	--	--	--	--	--	--	--

*The MCL for gross beta is 4 mrem/year. If gross beta exceeds 50 pCi/L, analysis of the sample for Photon Activity shall be performed to identify the major radioactive constituents. Gross Beta teting is optional, unless specifically required by DEP.

RADON (pCi/L)									
---------------	--	--	--	--	--	--	--	--	--

**Radon testing is option, unless specifically required by DEP. The MA guideline for Radon is 10,000 pCi/L. The EPA has proposed a radon MCL of 300 - 400 pCi/L.

I certify under penalties of law that I am the person authorized to fill out this form and the information contained herein is true, accurate and complete to the best extent of my knowledge.

Primary Lab Director Signature:  Date:

If not submitting results electronically, mail TWO copies of this report to your DEP Regional Office no later than 10 days after the end of the month in which you received this report or no later than 10 days after the end of the reporting period, whichever is sooner.

DEP REVIEW STATUS (Initial & Date) <input type="checkbox"/> Accepted <input type="checkbox"/> Disapproved	Review Comments	<input type="checkbox"/> WQTS Data Entered
--	-----------------	--